

WoodBeQuiet Planks Ceiling Tiles

Specifications

Application	Ceiling
Composition	100% polyester
Material	FilaSorb™
Recycled content	60% min. rPET
Weight	0.49 lb./ft2 (±10%)
Thickness	1/2", 12mm (±10%)
Standard Sizes	7.87" H x 39.37" W Custom sizes available

Sustainability



Made from 60% min.
recycled content



Declare Red List Free
(3rd Party Verified)



Generated using
40% solar energy



Recyclable at
end of lifespan



Total VOC's less
than 0.5 mg/m³
(3rd Party Verified)



Technical Data

Fire test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Water vapour sorption method	ASTM C1104-2019 (Procedure A Modified)
Water sorbed by weight	0.20% (results based on a 12mm thick panel)
Total VOC test method	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017
Total VOC result	≤ 0.5mg/m ³
Colourfastness test method	ISO 105-B02
Rating	6-7

Details

Lead time	3-6 weeks
Origin	United Kingdom
Warranty against defects	20 years*
Colourfastness warranty	20 years*

*Conditions apply


Acoustic Performance

Test Method
ASTM C423-09A

Install Method
A

Test Results
NRC 0.45, no air gap
NRC 0.54, 12mm air gap
NRC 0.64, 20mm air gap
SAA 0.43, no air gap
SAA 0.54, 12mm air gap

Rating Method
AS ISO 11654-2002




WoodGrain Prints

									
Picket Fence WQ01	Boat Shed WQ02	Wine Barrel WQ03	Log Cabin WQ04	Barn Door WQ05	Loft WQ06	White Elm WQ07	French Bobbin WQ08	Charred Larch WQ09	Boardwalk WQ10
									
Antique Chest WQ11	Baltic Birch WQ12	White Oak WQ13	Weathered Slate WQ14	Nordic Plank WQ15	Natural Oak WQ16	European Larch WQ17	Teak WQ18	Fumed Oak WQ19	Black Walnut WQ20
									
Driftwood WQ21	Woodland Fog WQ22	Petrified Ash WQ23	Mountain Lodge WQ24	Mocha Legno WQ25	Scorched Timber WQ26	Espresso Oak WQ27	Shadow Oak WQ28	Knotty Spruce WQ29	Lyed Larch WQ30

Sizes


Standard Sizes

Height: 7.87" H
Width: 39.37" W
Custom sizes available




Layout Typicals


Horizontal




Horizontal brick




Vertical brick




Diagonal brick



Vertical herringbone



Horizontal herringbone



Mounting Methods

