

Woven, Pincheck Ceiling Frames

Specifications

Application	Ceiling	
Composition	100% polyester	
Material	FilaSorb™	
Recycled content	60% min. rPET	
Weight	0.49 lb./ft2 (±10%)	
Compatible T-grid	Type 15/16" Flat 9/16" Flat	Layout Standard 24" x 24" Standard 24" x 24"
Standard Sizes	4" H x 24" W x 24" L	
	6" H x 24" W x 24" L	

Sustainability



Made from 60% min. recycled content



Declare Red List Free (3rd Party Verified)



Generated using 40% solar energy



Recyclable at end of lifespan



Total VOC's less than 0.5 mg/m³ (3rd Party Verified)

Technical Data

Fire test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Water vapour sorption method	ASTM C1104-2019 (Procedure A Modified)
Water sorbed by weight	0.20% (results based on a 12mm thick panel)
Total VOC test method	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017
Total VOC result	≤ 0.5mg/m ³
Colourfastness test method	ISO 105-B02
Rating	6-7

Details

Lead time	3-6 weeks
Origin	United Kingdom
Warranty against defects	20 years*
Colourfastness warranty	20 years*

*Conditions apply


Acoustic Performance

Test Method
ASTM E795

Install Method
Type E-400

Test Results
NRC 0.95
SAA 0.96

Rating Method
d ASTM C423



Frequency f (Hz)	125	250	500	1000	2000	4000	NRC
12mm	0.67	0.86	0.96	1.02	1.04	1.00	0.95


WoodGrain Prints

									
Picket Fence WQ01	Boat Shed WQ02	Wine Barrel WQ03	Log Cabin WQ04	Barn Door WQ05	Loft WQ06	White Elm WQ07	French Bobbin WQ08	Charred Larch WQ09	Boardwalk WQ10
									
Antique Chest WQ11	Baltic Birch WQ12	White Oak WQ13	Weathered Slate WQ14	Nordic Plank WQ15	Natural Oak WQ16	European Larch WQ17	Teak WQ18	Fumed Oak WQ19	Black Walnut WQ20
									
Driftwood WQ21	Woodland Fog WQ22	Petrified Ash WQ23	Mountain Lodge WQ24	Mocha Legno WQ25	Scorched Timber WQ26	Espresso Oak WQ27	Shadow Oak WQ28	Knotty Spruce WQ29	Lyed Larch WQ30

How to Specify


1. Choose Slat Height

Slats are available in two heights:




2. Choose Colourways

See colourway choices on page 3.




Lighting Coordination

24" x 24" Grid light



Drop pendant light



Recessed light

